Custom Cool


920
927
945
915
926
925
947
929
943
924
922
928
946
923
930
932
931
938
937
942
940
921
941
944
933
935
934
939
936
(ART NO. WR18815 C)

Evaporator Instructions



There are two approved evaporator replacement methods. The Lokring® method requires no brazing, by utilizing tight mechanical connections. The heat shield uses the traditional brazing method, but provides protection to the upper liner while brazing the evaporator connections in the freezer compartment.

Always add a new filter drier when servicing the sealed system. Follow each step of the instructions included with the replacement evaporator.

LOKRING® METHOD

LokRing® is a method of installing the evaporator in the freezer without the use of a torch. It utilizes a mechanical connection rather than a brazed connection. Apply a few drops of LokPrep (a special cleaning and sealing solution), to the ends of the tubing that you wish to join together. The LokRing® tool compresses the connector to ensure a tight mechanical connection. The parts shown to the right are required for the LokRing® replacement method.

For additional information on how to use LokRing®, call 1-800-848-7722 & order publication # 31-9067 (LokRing repair procedures manual) and publication # 31-9066 (Lokring repair procedures VHS video tape).



HEAT SHIELD METHOD

The heat shield kit is used to prevent damage to the refrigerator liner when brazing the evaporator into the sealed system. Refer to the instructions included in the heat shield kit. The kit comes with enough heat absorbing paste, solder and tape to complete four repairs.



(ART NO. WR18798 C)

Fresh Food Shelves



(ART NO. WR18814 C2)

Icemaker & Dispenser



Unit Parts


270
806
775
626
802
257
801
683
749
730
797
225
762
776
798
725
686
728
627
799
764
690
736
777
795
691
650
765
735
741
737
614
743
733
750
652
742
734
618
753
740
628
690
729
651
312
616
690
751
757
(ART NO. WR18797 C3)

Fresh Food Section



Freezer Door



Freezer Section



Fresh Food Door



Freezer Shelves



(ART NO. WR18816 C)